

## CURRENT COVERED DENTURE POLICY

CDT Procedure Description	CDT Code	Max Allowable Fee	Program Payment	Max Patient Co-Pay	Dental Procedure Guidelines
Complete denture - maxillary	D5110	\$793.00	\$713.00	\$80.00	Reimbursement made upon DELIVERY (completed) maxillary denture. D5110 or D5120 should not be used to report an immediate denture. Immediate denture (D5130, D5140) OR interim complete denture (D5810, D5811) is inserted immediately after extraction of teeth and is not currently covered on the OAP Dental Program Provider Reimbursement Schedule. Routine follow-up adjustments/relines w/in 12 months should be anticipated and are included in the initial reimbursement. A complete denture is made after teeth have been removed and the gum and bone tissues have healed - or to replace an existing denture. Complete dentures are provided once adequate healing has taken place following extractions. This can vary greatly depending upon patient, oral health, overall health, and other confounding factors. Frequency: There should be an expected life span of 5-10 years before replacement dentures should be considered - documentation that existing prosthesis cannot be made serviceable should be maintained.
Complete denture - mandibular	D5120	\$793.00	\$713.00	\$80.00	Reimbursement made upon DELIVERY (completed) mandibular denture. D5110 or D5120 should not be used to report an immediate denture. Immediate denture (D5130, D5140) OR interim complete denture (D5810, D5811) is inserted immediately after extraction of teeth and is not currently covered on the OAP Dental Program Provider Reimbursement Schedule. Routine follow-up adjustments/relines w/in 12 months should be anticipated and are included in the initial reimbursement. A complete denture is made after teeth have been removed and the gum and bone tissues have healed - or to replace an existing denture. Complete dentures are provided

## CURRENT COVERED DENTURE POLICY

					once adequate healing has taken place following extractions. This can vary greatly depending upon patient, oral health, overall health, and other confounding factors. Frequency: There should be an expected life span of 5-10 years before replacement dentures should be considered - documentation that existing prosthesis cannot be made serviceable should be maintained.
Maxillary partial denture - resin base (including any conventional clasps, rests and teeth)	D5211	\$700.00	\$640.00	\$60.00	Reimbursement made upon DELIVERY (completion) of partial maxillary denture. D5211 or D5212 should not be used to report an interim partial denture (D5820, D5821). D5211 and D5212 should be considered definitive treatment. Routine follow-up adjustments or relines within 12 months should be anticipated and are included in the initial reimbursement. A partial resin base denture can be made right <u>after</u> having teeth extracted (healing from only a few teeth is as extensive as healing from multiple). A partial resin base denture can be made before having teeth extracted if the teeth being removed are in the front or necessary healing will be minimal. Several impressions and "try-in" appts may be necessary and are included in the cost. Frequency: There should be an expected life span of 5 - 10 years before replacement dentures should be considered - documentation that existing prosthesis cannot be made serviceable should be maintained.
Mandibular partial denture - resin base (including any conventional clasps, rests and teeth)	D5212	\$778.00	\$718.00	\$60.00	Reimbursement made upon DELIVERY (completion) of partial mandibular denture. D5211 or D5212 should not be used to report an interim partial denture (D5820, D5821). D5211 and D5212 should be considered definitive treatment. Routine follow-up adjustments/reline within 12 months should be anticipated and are included in the initial reimbursement. A partial resin base denture can be made right <u>after</u> having teeth extracted (healing from only a few teeth is not as extensive as healing from multiple). A partial resin base denture can be made

## CURRENT COVERED DENTURE POLICY

					before having teeth extracted if the teeth being removed are in the front or necessary healing will be minimal. Several impressions and "try-in" appts may be necessary and are included in the cost. Frequency: There should be an expected life span of 5 - 10 years before replacement dentures should be considered - documentation that existing prosthesis cannot be made serviceable should be maintained.
--	--	--	--	--	---